

Ceftazidime - Main

Ceftazidime - Injectable Solution (Cats)

Ceftazidime - Injectable Solution (Dogs)

CEFTAZIDIME

GENERAL DESCRIPTION: This drug is a cephalosporin antibiotic that is used to treat bacterial infections in dogs and cats. Ceftazidime is available as an injectable solution.

WHAT IS THIS DRUG?

A third-generation injectable cephalosporin antibiotic that kills bacteria

It has activity against gram negative bacteria and against gram positive bacteria

Given as an injection into the vein (IV), under the skin (SQ), or into the muscle (IM)

REASONS FOR PRESCRIBING:

Used to treat a variety of bacterial infections

This antibiotic is usually reserved for advanced or serious infections

WHAT DOGS/CATS SHOULD NOT BE GIVEN THIS MEDICATION?

This medication should be used with caution in animals with existing kidney or liver disease

Animals with a known hypersensitivity or allergy to this or similar drugs (penicillins) should not be given this medication

DIRECTIONS:

Ceftazidime is usually given by injection in the safety of a veterinary hospital.

This medication is not effective if given by mouth and requires an injection.

Baseline blood work may be recommended to assess your pet's general health before starting this medication. Dose adjustments may be made based upon tests results, culture results, and an assessment of how your dog or cat is responding clinically.

This medication will take effect quickly, in about 1 to 2 hours, but its effects may not be visibly noticeable for a few days.

WHAT IF A DOSE IS MISSED?

If a dose is missed, give it as soon as you can. If it is time already for the next dose, skip the missed dose and go back to the normal schedule. Do not give two doses at the same time.

WHAT TO TELL/ASK A VETERINARIAN BEFORE GIVING MEDICATION?

Talk to your veterinarian about:

When your pet will need to be rechecked

What tests may need to be performed prior to and during treatment with this drug

What are the risks and benefits of using this drug

Tell your veterinarian about:

If your pet has experienced side effects on other drugs/products

If your pet has experienced digestive upset now or ever

If your pet has experienced liver or kidney disease now or ever

If your pet has experienced any other medical problems or allergies now or ever

All medicines and supplements that you are giving your pet or plan to give your pet, including those you can get without a prescription. Your veterinarian may want to check that all of your pet's medications can be given together.

If your pet is pregnant, nursing or if you plan to breed your pet

STORAGE AND WARNINGS:

Ceftazidime should be stored in a childproof container in a cool, dark, dry place at room temperature away from heat and direct sunlight.

Check the product insert as stability of the reconstituted solution varies pending on room temperature and refrigeration.

Prolonged use of any antibiotic can increase the potential for adverse effects.

Keep this and all medication out of reach of children and pets.

Call your physician immediately if you accidentally take this product.

POTENTIAL SIDE EFFECTS:

This medication can affect the gastrointestinal system causing inappetence, vomiting and diarrhea

This medication can affect circulating blood cells causing reduced white blood cells, red blood cells and platelets

This medication has been reported to cause an increase in liver enzymes in a small number of human patients

This medication can cause pain and inflammation at the injection site when given intramuscularly (IM)

All injectable medications have the potential to cause an immediate allergic or anaphylactic reaction. Affected animals may have a swelling, hives, changes in respiration and display signs of agitation. This can be a severe and life-threatening reaction, immediate treatment with epinephrine is often required.

If these symptoms persist or you notice anything else unusual, contact your veterinarian

This short-acting medication should stop working within 24 hours, although effects may last longer in pets with liver or kidney disease

CAN THIS DRUG BE GIVEN WITH OTHER DRUGS?

Yes, but possible interactions may occur when giving Ceftazidime in conjunction with aminoglycosides, amphotericin B and chloramphenicol

Drugs other than those listed may also interact with Ceftazidime

Do not give new food or medications without first talking to your veterinarian

If your pet experiences any unusual reactions when taking multiple medications, contact your veterinarian

WHAT SHOULD I DO IF I KNOW OF OR SUSPECT THERE HAS BEEN AN OVERDOSE?

Contact your veterinarian immediately if your pet receives more than the prescribed amount.

WHAT ELSE SHOULD I KNOW?

Notify your veterinarian if your animal's condition does not improve or worsens despite this treatment.

As with all prescribed medicines, Ceftazidime should only be given to the pet for which it was prescribed. It should be given only for the condition for which it was prescribed.

This is just a summary of information about Ceftazidime. If you have any questions or concerns about Ceftazidime or the condition for which it was prescribed, please contact your veterinarian.