

Selamectin + Sarolaner - Main

Trade Names:

Revolution® Plus

GENERAL DESCRIPTION: This combination drug has activity against both internal and external parasites. Selamectin + Sarolaner is a safe and simple monthly medication to protect your cat from heartworms, fleas, ear mites, ticks, roundworms and hookworms. Internal and external parasites can negatively affect your cat's overall health.

WHAT IS THIS DRUG?

A combination product that includes two parasiticides:

Selamectin

Sarolaner

Selamectin + Sarolaner is applied topically once a month

REASONS FOR PRESCRIBING:

Used for the treatment and prevention of

Fleas

Ear mites

Roundworms

Hookworms

Heartworms

Ticks (Black-legged Tick or Deer Tick, Gulf Coast Tick, American Dog Tick)

WHAT DOGS/CATS SHOULD NOT TAKE THIS MEDICATION?

This product is indicated for use in cats only

Do not use this product on cats weighing less than 2.8 lbs or 1.8 kg

Do not use this product on cats less than 8 weeks of age

This product should be used with caution in any animals with a history of a neurological disorder

Safe use of this product has not been established in breeding, pregnant or lactating animals

Animals with a known hypersensitivity or allergy to this or related product should not take this medication

DIRECTIONS:

Read and follow the label carefully. Give the exact amount prescribed and only as often as directed. Give this medication for as long as your veterinarian directs. Do not skip doses or stop giving the medication without consulting your veterinarian.

Baseline blood work may be recommended to assess your pet's general health before starting this drug. At your veterinarian's discretion, a blood test may be necessary to determine the presence of an existing heartworm infection in your pet.

It is ideal to give this medication 1 month prior to the start of flea season. This medication is then administered every 4 weeks throughout the flea and tick season. Mark your calendar with the dates of subsequent treatments. Reminder stickers are included to place on your calendar for each of the months following the date of the first dose. Pending climate and geographical location, discuss with your veterinarian regarding year-round treatment.

For heartworm prevention it is recommended to administer monthly year-round, or at least within one month after the first exposure to mosquitoes, and monthly thereafter until one month after mosquito season ends.

Refer to product insert for instructions regarding applicator use. Administer the entire contents of a single dose tube topically. Part the hair on the animal's back at the base of the neck in front of the shoulder blades. Place the tube tip on the skin and squeeze the tube emptying the contents directly onto the skin in one spot. Ensure that the tube is empty. Do not massage product into the skin. Selamectin + Sarolaner is non-greasy and quick-drying.

Do not give orally. Do not apply to broken skin or onto wet hair coat.

Do not allow pets to lick or ingest the product. If you have multiple pets, keep them separated for a short time to prevent licking or mutual grooming.

After applying this product to your pet, wash your hands with soap and water. Small children should avoid handling the treated pet.

For external use only. Do NOT give by mouth. Keep the product away from your pet's eyes and mouth.

To maximize the effectiveness, do not bathe the animal or allow the pet to swim for 2 hours.

This medication should take effect within 1 to 2 days. You should see improvements in your pet's clinical signs.

If you have difficulty applying the medication, contact your veterinarian.

Call ahead for refills.

WHAT IF A DOSE IS MISSED?

If a dose is missed, give it as soon as you can. If it is time already for the next dose, skip the missed dose and go back to the normal schedule.

WHAT TO TELL/ASK A VETERINARIAN BEFORE GIVING MEDICATION?

Talk to your veterinarian about:

The life cycle of internal and external parasites

How to safely remove an attached tick

What are the risks and benefits of using this product

Tell your veterinarian about:

If your pet has experienced side effects on other drugs/products

If your pet has experienced digestive upset now or ever

If your pet has experienced liver or kidney disease now or ever

If your pet has experienced any other medical problems or allergies now or ever

All medicines and supplements that you are giving your pet or plan to give your pet, including those you can get without a prescription. Your veterinarian may want to check that all of your pet's medications can be given together.

If your pet is pregnant, nursing or if you plan to breed your pet

STORAGE AND WARNINGS:

Selamectin + Sarolaner should be stored in a childproof container in a cool, dry place at room temperature away from heat and direct sunlight.

Keep this and all medication out of reach of children and pets.

Not for human use. May be irritating to skin and eyes.

Wash hands after use and wash off any product in contact with the skin immediately with soap and water.

Call your physician immediately if you accidentally take this product.

POTENTIAL SIDE EFFECTS:

This medication is usually well tolerated but can cause lethargy, anorexia, tremors, incoordination and seizures

As with any topical applied product, may cause skin irritation

If you notice any of these symptoms or anything else unusual, contact your veterinarian

This long-acting medication lasts for at least 4-6 weeks but may last longer in pets with kidney or liver disease

CAN THIS DRUG BE GIVEN WITH OTHER DRUGS?

Ensure that your veterinarian knows all of the medicines and supplements that you are giving your pet or plan to give your pet, including those you can get without a prescription.

Do not use with other topical products for treating internal or external parasites

If your pet experiences any unusual reactions when taking multiple medications, contact your veterinarian.

WHAT SHOULD I DO IF I KNOW OF OR SUSPECT THERE HAS BEEN AN OVERDOSE?

Contact your veterinarian and/or a poison control center immediately if pet receives more than the prescribed amount.

WHAT ELSE SHOULD I KNOW?

Notify your veterinarian if your animal's condition does not improve or worsens despite this treatment.

As with all prescribed medicines, Selamectin + Sarolaner should only be given to the pet for which it was prescribed. It should be given only for the condition for which it was prescribed.

When dealing with a flea infestation, it is important to treat all animals within the household and the environment. Speak to your veterinarian about approved and safe products for all household pets. If fleas are already developing in your house, ask your veterinarian to recommend a premises control product as well.

To maximize the benefit of deworming, it is best to treat all animals in the environment. Periodic fecal exams are recommended to monitor effectiveness and re-exposure to parasites.

Some intestinal parasites can infect humans. Strict hygienic precautions should be observed when handling infected pets and their feces. Consult your veterinarian or family doctor to discuss how to prevent human infection and reinfection of your pet.

This is just a summary of information about Selamectin + Sarolaner. If you have any questions or concerns about this medication or for the condition it was prescribed, contact your veterinarian.